


DiCFASTENERS

A Brand by Dedicated Impex Co.



THREADED RODS

Product Name


Page No.

Threaded Rod.....03

Double End Stud.....04-05



THREADED ROD DIN975/976




Screw Thread d	M2	M2.5	M3	M3.5	M4	M5	M6	M8	M10	M12	M14	M16	M18
Coarse Thread Pitch	0.4	0.45	0.5	0.6	0.7	0.8	1	1.25	1.5	1.75	2	2	2.5
P Fine Thread Pitch	/	/	/	/	/	/	/	1	1.25	1.5	1.5	1.5	1.5
Fine Thread Pitch	/	/	/	/	/	/	/	/	1	1.25	/	/	/
per 1000 units ≈kg	18.7	30	44	60	78	124	177	319	500	725	970	1330	1650


Screw Thread d	M20	M22	M24	M27	M30	M33	M36	M39	M42	M45	M48	M52
Coarse Thread Pitch	2.5	2.5	3	3	3.5	3.5	4	4	4.5	4.5	5	5
P Fine Thread Pitch	1.5	1.5	2	2	2	2	3	3	3	3	3	3
Fine Thread Pitch	/	/	/	/	/	/	/	/	/	/	/	/
per 1000 units ≈kg	2080	2540	3000	3850	4750	5900	6900	8200	9400	11000	12400	14700

- Material: Carbon Steel, SS304
- Thread Size: M3~M52
- Surface Finish: Plain,Black,Zinc Plated, Yellow Plated, H.D.G, Self Color
- Class: 4.8, 8.8, 10.9, 12.9
- Stock Length: 1 meter, 2 meter, 3 meter or as per customer requirement
- Threads: MM, UNC, BSW, UNF & BSF
- Standards: DIN 975, DIN 976 ASTM, DIN, BS and All International Standards

DOUBLE END STUD DIN938



- Material: Carbon Steel, SS304
- Thread Size: M3~ M52
- Surface Finish: Plain, Black, Zinc Plated, Yellow Plated, H.D.G, Self Color
- Class: 4.8, 8.8, 10.9, 12.9



DIC – INDIA

DEDICATED IMPEX CO.

D - 189, Industrial Focal Point, Patiala

147003 Punjab, India

info@dicfasteners.com

+91-95922-28222

DICFASTENERS

A Brand by Dedicated Impex Co.